

# Trex®



*out is the  
new in*

*decking:* Transcend® in Spiced Rum & Tree House  
*railing:* Transcend in Tree House with  
round aluminum balusters  
*also featuring:* Trex Outdoor Lighting™,  
Trex Fascia and Trex Outdoor Furniture™



There's you.

There's the space around  
your house.

And then there's Trex®.

And with a little imagination,  
amazing things can happen  
in between.

The possibilities you'll find with Trex® begin where form beautifully meets function. Because there's so much more to your ideal oasis than the deck, our wide range of products adds foresight to technique, standing for outdoor living in the most innovative way possible.

Of course, our unmatched decking and railing collections are our benchmarks. But with aluminum railing that expands your view, steel substructures as advanced as our decking, and tough-as-nails white fascia to crown any space, you can finally apply our expertise not just to decking, but to living.

Actually,  
it *is* easy  
BEING  
GREEN



Spending time outdoors feels a lot better when you're helping to preserve the outdoors. Our company was built upon green principles and values, from our recycled materials to our sustainable processes. In fact, we reuse as smartly as possible, creating innovative, new products from not-so-new beginnings and, of course, screening everything closely for quality before it goes near a Trex plant.

**Some real-world reasons to feel really good about Trex®:**

- » Trex products made from 95% recycled materials save around 400 million pounds of plastic and wood scrap from landfills every year
- » Trex hasn't felled one tree in all our years in the decking and railing business
- » Our earth-friendly manufacturing processes recycle factory runoff and refuse back into the manufacturing line, and some plant hydraulics are even powered by vegetable oil
- » Our decking, railing and steel deck framing contribute to LEED points on any building

*framing: Trex Elevations®  
decking: Transcend® in Spiced Rum & Vintage Lantern  
railing: Transcend in Classic White & Vintage Lantern  
with round aluminum balusters  
also featuring: Trex® Outdoor Lighting™ and TrexTrim™*

**Trex Elevations®**  
STEEL DECK FRAMING

**PERFECTION BUILT FROM THE GROUND UP** Even though your deck's substructure may not make the family photos, it's actually the most important part of your new outdoor space. Our high-performance steel beams, joists, tracks and deck support posts create the strongest, straightest and, yes, greenest structures down below.

- » Strong, safe and non-combustible
- » Rot- and termite-proof steel lasts much longer than wood
- » CCRR 0186 code compliance research report
- » Precise engineering enables curved deck designs and flat surfaces
- » Contains a minimum of 25% recycled steel and is a 100% renewable resource
- » Backed by the Trex 25-Year Limited Residential Warranty



*Wood substructures split, warp and shift over time, leading to undulations in the deck boards above. The dimensionally stable steel of Trex Elevations® stays in place, creating consistently flat decking. To watch a video demonstration, visit [trex.com](https://www.trex.com)*

Think about it: if you're going to invest in a long-lasting deck, don't you want its support to last just as long?

Trex Elevations® Steel Deck Support Posts are manufactured and sold by M. Cohen and Sons, Inc. Trex® and Trex Elevations® are trademarks of, and are used by M. Cohen and Sons, Inc., dba The Iron Shop, under license with, Trex Company, Inc.

*decking: Transcend in Gravel Path & Vintage Lantern  
railing: Transcend in Gravel Path with round aluminum balusters  
also featuring: Trex Outdoor Furniture™*



**Trex Transcend®**  
DECKING & RAILING SYSTEM

**OUTDECKS ALL OTHERS** With a protective shell, unrivaled low maintenance and wood-grain beauty to match, the one and only Transcend® decking is the ultimate expression of form and function. Pair it with our Transcend railing, and you have an unmatched outdoor experience.

#### Transcend Decking

- » Nine rich, lasting colors and a natural-looking wood grain
- » Two distinctive styles—premium tropical colors and rich classic earth tones
- » Unrivaled fade, stain, scratch and mold resistance
- » Low maintenance takes the work out of the weekend
- » Made from 95% recycled materials
- » Backed by the industry-leading Trex® 25-Year Limited Residential Fade & Stain Warranty




*decking: Transcend in  
Spiced Rum & Vintage Lantern  
railing: Transcend in Vintage  
Lantern & Classic White with  
round aluminum balusters  
also featuring:  
Trex Outdoor Lighting™*

#### Transcend® Railing

- » Stands firm with a strong, sturdy look and feel
- » Built with the same incredible durability as Transcend decking—won't rot, warp or splinter
- » Modular components let you mix and match your customized look with any Trex® railing line
- » Contains a minimum of 40% recycled material
- » Backed by the Trex 25-Year Limited Residential Warranty

Transcend® deck boards are compliant with the Wildland-Urban Interface, California State and San Diego County ASTM E84 Class B Flame Spread and CA SFM 12-7A-4 Underflame and Burning Brand requirements.



*flooring: Transcend porch in Gravel Path  
railing: Transcend in Classic White with colonial spindles  
also featuring: TrexTrim and Trex Outdoor Furniture™*

**Trex** Transcend®  
PORCH FLOORING & RAILING SYSTEM

**OUTDOOR LUXURY MOVES OUT FRONT** Our advanced system of virtually gap-free porch flooring and Transcend® railing makes it the most luxurious welcome mat around.

- » Lasts with unrivaled fade, stain, scratch and mold resistance
- » No sanding, staining or painting, ever
- » Comes in three rich, lasting colors for a personalized look
- » Ups the curb appeal of any home
- » Pair with Transcend railing and TrexTrim™ for the total porch experience
- » Backed by the industry-leading Trex® 25-Year Limited Residential Fade & Stain Warranty



*decking: Trex Enhance in Beach Dune & Clam Shell  
railing: Trex Transcend® in Classic White*

**Trex** Enhance®  
DECKING

**EVEN COMFORT HAS A CUTTING EDGE** Enhance® is our low-maintenance composite that offers all the charm and none of the trouble of real wood.

- » High-performance shell is fade, stain and mold resistant
- » Cleans easily with just soap and water or a pressure washer\*
- » Our three versatile colors feature a refined wood grain
- » Pairs beautifully with all Trex® railing lines
- » 95% recycled plastic, wood and sawdust keeps it green
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty



**Trex Hideaway® Hidden Fasteners**  
clip between each board for a smooth, unfettered surface on top.



**IT'S TREX®, SIMPLIFIED** With such an easy design scheme, Trex Select® decking and railing adds our legendary luxury to your home more affordably than ever.

#### Trex Select Decking


- » Wrapped in our hallmark high-performance shell
- » Offers a soft, splinter-free finish that's comfortable underfoot
- » Resists stains and mold better than early-generation composites
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

#### Trex Select Railing

- » Versatile white complements any decking or house color
- » Designed for the DIY homeowner
- » Won't warp, rot or splinter; never needs painting or staining
- » Backed by the Trex 25-Year Limited Residential Warranty

**MINIMALIST STYLE, MAXIMUM STRENGTH** With a sleek yet sturdy profile, Trex Reveal® aluminum railing is specially crafted to complete your deck while emphasizing the view beyond it.

- » Aluminum possesses unparalleled strength with minimal geometry
- » Powder coating allows the aluminum to retain color and resist corrosion
- » Washes clean with soap and water for low maintenance
- » Two baluster options (square and round) and two post choices (aluminum posts and composite post sleeves) available
- » Multiple post options for residential and commercial applications
- » Aluminum is a 100% recyclable, renewable resource
- » Backed by the Trex Reveal® Railing Limited Warranty\*



*deck lighting:* Stair riser lights, post cap lights and deck rail lights  
*landscape lighting:* Well lights and spotlights

## Trex® Outdoor Lighting™

**THE BRIGHT IDEA** With the right light, you can take any outdoor space from invisible to inviting. That's why Trex has expanded our lighting offering to cover the whole landscape.

- » Energy-efficient Cree® LEDs give off long-lasting illumination\*
- » Sophisticated fixtures create custom lighting effects and designs
- » Trex® LightHub™ connection system makes set-up a snap for DIYers

### Deck Lighting

- » Recessed deck lights
- » Stair riser lights
- » Post cap lights
- » Deck rail lights

### Landscape Lighting

- » Well lights
- » Path lights
- » Multifunction lights
- » Spotlights



Universal Fascia in White

## Trex® Fascia

**WE HAVE THE EDGE ON YOUR DECK** Put the finishing touch on your deck design with fascia and riser boards to match the entire high-performing Trex® lineup.

- » Low maintenance, with no sanding, staining or painting required
- » Superior resistance to fade, stains, rot, mold and termites
- » Seventeen matching colors and Universal Fascia in White coordinate with all Trex decking lines
- » More impact resistant than cellular PVC
- » Backed by the industry-leading Trex 25-Year Limited Residential Fade & Stain Warranty

\*Cree® is a registered trademark of Cree, Inc.  
 For the terms of warranties on Trex® Outdoor Lighting™, see page 22 or visit [trex.com](http://trex.com)

TrexTrim in White



**TrexTrim™**

**TRIM AND PROPER** TrexTrim™ comes in all the traditional wood profile sizes and moulding options, then does them one better by resisting rotting and splitting.

- » Proven reliability of free-foam cellular PVC
- » Outstanding workability—cuts, routs, fastens and paints easily
- » Superior resistance to rot, insects and splitting
- » Available in both a smooth or wood-grain finish
- » Multiple profiles, including boards, sheets, corner boards and beadboard
- » Release film protects trim from plant to installation
- » Backed by the TrexTrim Limited Warranty\*

\* See warranty at [trex.com](http://trex.com)

[trex.com](http://trex.com)

Trex Pergola in Classic White  
decking: Transcend® in Lava Rock  
railing: Transcend in Classic White with  
Fire Pit cocktail rail and glass panels



**Trex® Pergola™**

**ABOVE AND BEYOND** Trex® Pergola™ keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that won't crack, rot or chalk—virtually upkeep-free.

- » Made from TrexTrim™ which won't split or chalk
- » Resistant to rot and insects
- » Premium designs in a wide range of options and customizable sizes
- » Available in attachable or free-standing profiles
- » Choose from our nine Trex® colors or custom match your own—all with the exclusive ColorLast™ finish
- » Built for the do-it-yourselfer or easily installed by a TrexPro®
- » Backed by a 25-Year Limited Manufacturer Warranty

Trex® Pergola™ products are manufactured and sold by Home & Leisure, Inc. d/b/a Backyard America under a Trademark License Agreement with Trex Company, Inc. 25-Year Trex Pergola and 20-Year ColorLast™ Limited Warranties provided by manufacturer.

Cape Cod collection in Charcoal Black




Trex® Outdoor Furniture™

**DEEP-SEATED BEAUTY** It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing.

- » Versatile color and style collections coordinate beautifully with any deck
- » Withstands wind and weather with unmatched authority
- » Ergonomic design and splinter-free finish
- » Over 90% recycled materials keeps things one with nature
- » Backed by a Five-Year Limited Residential Warranty\*

\*Trex® Outdoor Furniture™ products are manufactured and sold by Poly-Wood, Inc. under a Trademark License Agreement with Trex Company, Inc. Five-Year Limited Warranty provided by manufacturer.



Trex RainEscape creates a dry room below your deck also featuring: TrexTrim beadboard ceiling, Trex Fascia wall in Gravel Path and Trex Outdoor Furniture™

Trex® RainEscape®

DECK DRAINAGE SYSTEM

**OUTWITS THE ELEMENTS** Trex® RainEscape® makes something of that empty space beneath a second-story deck by channeling away rain drips and snowmelt and creating a dry room below.

- » Invisible channeling system installs between an upstairs deck and downstairs ceiling
- » No leaks, no sitting water
- » Enables the worry-free outfitting of electronics
- » Finishes with a TrexTrim™ beadboard ceiling for a refined look
- » Compatible with Trex Elevations®
- » Backed by an industry-leading 20-Year Limited Residential Warranty\*

\*Trex® RainEscape® products are manufactured and sold by Dri-Deck Enterprises, LLC under a Trademark License Agreement with Trex Company, Inc. RainEscape® is a federally registered trademark of Dri-Deck Enterprises, LLC. A 20-Year Limited Warranty is provided by the manufacturer.



## First comes virtual reality. Then reality reality.

Start with our online resources. You'll find useful tools and features to help make your outdoor-living visions see the light of day—including an iPad app you can use to design your deck. Download and start dreaming.

## Find a TrexPro®

We offer the largest nationwide network of TrexPro independent contractors. They not only know our products inside and out and have vast experience in the finer points of installation, they also can provide invaluable insight. To help find a contractor near you and see customer reviews, visit [trex.com](http://trex.com).

## DIY, together

If you can work with wood, you'll love working with Trex®. That said, there are many questions—from time commitments to zoning issues—you need to address before you decide to go it alone. To get started on your project, consult our online questionnaire.

Find all this and more at [trex.com](http://trex.com)

And should you need us, we're always available at 1-800-BUY-TREX or [question@trex.com](mailto:question@trex.com)

## Care & Cleaning Guide

### for Trex® High-Performance Composite Decking

All exterior building materials require cleaning. Generally, soap and water is all that is required to clean Trex Transcend®, Enhance® and Select® products. For additional information, see below.

PROBLEM	SOLUTION
Dirt and Debris	The affected area should be sprayed off with a hose to remove surface debris. Use warm soapy water and a soft bristle brush to remove dirt and debris from the embossing pattern.
Chalk Lines	Most colored chalks are permanent and may discolor the surface. Use only Irwin Strait-Line®* Dust-Off Marking Chalk (purple), available at <a href="http://Irwin.com">Irwin.com</a>
Tannins Due to Debris	Remove all debris from the deck using a hose or broom. Once the deck surface is dry, apply a Deck Brightener** to the deck as directed by the manufacturer. Deck Brighteners contain oxalic acid, which will also remove tannins.
Ice and Snow	A plastic shovel may be used to remove snow from the deck. Use calcium chloride or rock salt to melt the snow and ice from the deck surface.
Oil, Grease and Food	All food spills should be removed as soon as possible. <b>The surface must be cleaned within seven days to maintain the stain warranty.</b> To remove, spray off with a hose and use warm, soapy water and a soft bristle brush to remove spills from the embossing pattern.
Mold and Mildew	If debris such as pollen and dirt is allowed to remain on the deck surface, mold can feed on the biofilm. Using a hose and warm, soapy water with a soft bristle brush is recommended to remove the food source and mold.
Using a Pressure Washer (Concrete, Stucco or Ground-in Construction Dirt)	A pressure washer with <b>no greater</b> than 3100 psi*** that has a fan attachment/adjustment and soap dispenser may be used to remove dirt, concrete dust, or other types of construction dirt. Spray deck with soap, then follow by gently scrubbing each deck board with a soft bristle brush. Spray/rinse each individual deck board using a fan tip no closer than 8" from the decking surface. <b>RINSE THOROUGHLY.</b> If dirty water from cleaning is left to dry, this will cause a film to remain on the decking surface.
Maintaining Transcend and Select Railing	<b>NEVER</b> use acetone or other solvents on Trex Transcend or Select railing to maintain the beauty of the surface. For color transfer issues (from attachment of baluster spacer), use Mr. Clean® Magic Eraser® Original or Magic Eraser® Extra Power to help remove this.**** For small surface scratches, marks, or scuffs, use Dupli-Color Scratch Seal™ Clear Sealer Pen. *****

\*Strait-Line® is a registered trademark of Irwin Industrial Tool Company.

\*\*Use of products containing bleach or acid will lighten the surface of Trex. Use in an inconspicuous area to determine whether you like the effect. Neither product will affect the structural integrity of Trex.

\*\*\* Use of a pressure washer greater than 3100 psi could damage the boards and void the warranty.

\*\*\*\*Mr. Clean® and Magic Eraser® are registered trademarks of The Procter and Gamble Company.

\*\*\*\*\*Scratch Seal™ Clear Sealer Pen is a registered trademark of Dupli-Color® Products Company.

## TREX® LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

**Notwithstanding the foregoing, (a) the term of the warranty for the LED lights and housing for Trex® DeckLighting™ shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex® LandscapeLighting™ shall be five (5) years, and the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations® steel deck framing, Trex Reveal® aluminum railing and TrexTrim™ (which each have separate warranties).**

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for, and no implied warranty shall be deemed to cover, any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products; (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

**UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2014 Trex Company, Inc.

## TREX ELEVATIONS® LIMITED WARRANTY

Trex Company, Inc. ("Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex Elevations® steel deck framing components shall be free from material defects in workmanship and materials and will not become structurally unfit, which is defined as corrosion causing a perforation of the component. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**Salt Water Applications** – Trex Elevations® may not be installed within 3,000 feet of any body of salt water due to increased risk of corrosion. Any such installation shall void this limited warranty.

**Other Water Applications** – Trex Elevations® may not be installed under the surface or within the splash zone of any body of fresh water due to increased risk of corrosion. Any such installation shall void this limited warranty.

**THIS LIMITED WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) defects caused by improper installation or decay caused by fasteners; (2) use of Trex products beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) corrosion caused by factors other than environmental or atmospheric processes; (4) failure to strictly abide by Trex Elevations® standard maintenance practices, as described below; (5) movement, distortion, collapse or settling of the ground; (6) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (7) improper handling, storage, abuse or neglect of Trex Elevations® products by Purchaser, the transferee or third parties; or (8) ordinary wear and tear.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

**UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO DEFECTIVE TREX ELEVATIONS® PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

### TREX ELEVATIONS MAINTENANCE REQUIREMENTS:

**1. Observation:** During construction, inspect all components for exposed steel, and cover the exposed area with Trex approved touch up paint in accordance with the Trex Product and Installation Guide. (Trex does not warrant touch up paint due to application variability.) Covering exposed areas with Trex approved touch up paint blends the blemishes into the same unique color of the components.

**2. First Maintenance:** Defined as the physical inspection of components in search of corrosion. Atmospheric and environmental conditions can affect the longevity of Trex Elevations®. Densities of air borne pollutants in certain atmospheres require adjustments in the maintenance and inspection schedules. You should conduct first maintenance within six (6) years after installation for a residential application and four (4) years after installation for a commercial application. If corrosion is identified, immediately begin corrosion management practices.

**3. Inspection Schedule:** After first maintenance, Trex Elevations components must be inspected for structural integrity every two (2) to five (5) years for a residential application and every two (2) years for a commercial application. Integrity is inspected by tapping along the surface area of the components with a metal tool such as a screwdriver. If flaking of the exterior coat occurs or discrepancies of sound are heard, immediately begin corrosion management practices.

**4. Corrosion Management:** Sand any affected areas to twice the size of the corroded area with 80 grit sand paper. Reapply Trex approved touch up paint to the sanded area.

Copyright © 2014 Trex Company, Inc.

# TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® & TREX FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

**Term of Warranty:** The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

**Residential/Commercial Application:** For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**Fade Resistance:** The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

**Stain Resistance:** The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbecue sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition, materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product. You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

**Standard Trex Company Limited Warranty:** This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

**Transferability:** With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

## EXCLUSIONS FROM WARRANTY COVERAGE:

**Exposure to Heat:** Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

**Surface Damage:** Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

**Paint or Other Materials Applied to the Product:** If paint or other coating materials are applied to the Product, this warranty will be voided.

**Railing:** This warranty does not cover Trex Transcend® or Trex Select® railing components.

**Other Exclusions:** This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

## Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc.  
Customer Relations  
160 Exeter Drive  
Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation). Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

**5. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.**

**UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.**


Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2014 Trex Company, Inc.


YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

# decking & railing color palette

## TREX TRANSCEND® DECKING




## TREX ENHANCE® DECKING



## TREX SELECT® DECKING




## TREX TRANSCEND® RAILING




## TREX SELECT® RAILING



## TREX REVEAL® ALUMINUM RAILING



## TREX® OUTDOOR LIGHTING™



decking: Transcend® in Tiki Torch



# Trex®

OUTDOOR LIVING. ELEVATED.

FRAMING | DECKING | RAILING | PORCH | FASCIA  
TRIM | LIGHTING | DRAINAGE | FURNITURE | PERGOLA

Visit [trex.com](http://trex.com) or call **1-800-BUY-TREX**

FIND US ON



© 2014 Trex Company, Inc. All rights reserved. Trex®, the Trex logo, Trex Transcend®, Trex Enhance®, Trex Select®, Trex Hideaway®, TrexTrim™, Trex Reveal®, Trex Elevations®, Trex® RainEscape®, Trex® LightHub™, Trex® Outdoor Lighting™, Trex® Outdoor Furniture™, Trex® Pergola™ and TrexPro® are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia.